


## SWE-AD-10/D

The antenna AD-10/D is a wideband UHF antenna for the frequency range from 500 to 3000 MHz, mainly intended for base station use. The antenna is composed of two main parts: attachment pipe with console and radiating element. The attachment pipe is made of aluminium tube diameter of 40 mm. The radiating element is enclosed in a tube made of composite material. The antenna is painted with black two-component UV resistant PU paint. The antenna has N female coaxial connector mounted at the end of the antenna attachment pipe. Attachment piper has a special mounting console adapter enables mounting the antenna on the mast with diameter up to 60 mm.


<b>ELECTRICAL SPECS</b>	
Frequency range	500 - 3000 MHz
Impedance	50 ohm
VSWR	< 2.5
Gain	1 - 2.5 dBi
Polarization	Vertical
Maximum power	500 W (500 MHz) .... 200 W (3000 MHz) CW
Connector	N female
<b>MECHANICAL SPECS</b>	
Design	Dipole (Center-Fed) Antenna
Height	500 mm
Weight	3 kg
Diameter	89 mm
Temperature range - in use	-50 ... +55C
Temperature range - in stock	-55 ... +75C
Wind rating	55 m/s (200 km/h)
Color	Black




Contact: [enquiries@sysware-europe.com](mailto:enquiries@sysware-europe.com)



VSWR



Gain (dBi)



N female connector

Tube dimension  
Ø 30 - 60 mm

Contact: [enquiries@sysware-europe.com](mailto:enquiries@sysware-europe.com)



SystemWare Europe is a limited company registered in England.  
 Registration No: 03916672, V.A.T Registration No: 738170820  
 Registered Office: Phoenix House, 2 Phoenix Park, St Neots,  
 Cambridgeshire, PE19 8EP, United Kingdom.  
 Certificate Number: 6882, ISO 90001:2015